

## **DECISION No 1/2019**

### **OF THE JOINT COMMITTEE ESTABLISHED BY THE AGREEMENT BETWEEN THE EEA EFTA STATES AND THE UNITED STATES OF AMERICA ON THE MUTUAL RECOGNITION OF CERTIFICATES OF CONFORMITY FOR MARINE EQUIPMENT AMENDING ANNEXES I, II AND III**

THE JOINT COMMITTEE,

Having regard to the Agreement between the United States of America and the EEA EFTA States on the mutual recognition of certificates of conformity for marine equipment, and in particular Article 7 thereof;

Whereas:

- (1) Pursuant to Article 7(3)(d) of the Agreement between the EEA EFTA States and the United States of America on the mutual recognition of certificates of conformity for marine equipment ('the Agreement'), the Joint Committee established under Article 7(1) of the Agreement may amend the Annexes thereto.
- (2) The European Union has adopted Directive 2014/90/EU of the European Parliament and of the Council<sup>1</sup> which repeals Council Directive 96/98/EC on marine equipment<sup>2</sup>.
- (3) Directive 2014/90/EU has been incorporated into the Agreement on the European Economic Area<sup>3</sup>.
- (4) Therefore, Annex I to the Agreement should be amended to reflect this change in the applicable legislation.
- (5) In accordance with Article 7(3)(a) of the Agreement, the Joint Committee is responsible for developing and maintaining the list in Annex II of products and associated legislative, regulatory and administrative provisions that the Parties have determined to be equivalent.
- (6) Taking into account technical progress and changes to relevant international instruments, the EEA EFTA States and the United States of America have agreed on the modification of the product coverage for mutual recognition.
- (7) The list of regulatory authorities and their addresses should be updated.
- (8) Therefore, Annexes I, II and III to the Agreement should be amended accordingly.

HAS DECIDED AS FOLLOWS:

---


<sup>1</sup> Directive 2014/90/EU of the European Parliament and of the Council of 23 July 2014 on marine equipment and repealing Council Directive 96/98/EC (OJ L 257, 28.8.2014, p. 146).

<sup>2</sup> Council Directive 96/98/EC of 20 December 1996 on marine equipment (OJ L 46, 17.2.1997, p. 25).

<sup>3</sup> Decision of the EEA Joint Committee No 163/2016 (OJ L 73, 15.3.2018, p. 38).

Annexes I, II and III of the Agreement are replaced by the text in the Annex to this Decision.

This Decision, done in four originals, shall be signed by representatives of the Joint Committee who are authorized to act on behalf of the Parties for purposes of amending the Agreement. This Decision shall be effective from the date of the later of these signatures.



On behalf of the  
United States of America



On behalf of the  
Republic of Iceland

Signed in Washington, D.C. on

FEB 20 2019

Signed in Brussels, on 22 Feb. 2019



On behalf of the  
Principality of Liechtenstein

Signed in Brussels, on 21 Feb 2019



On behalf of the  
Kingdom of Norway

Signed in Brussels, on 22 Feb 2019

## ANNEX I

### **LEGISLATION, REGULATIONS AND ADMINISTRATIVE PROVISIONS**

- Legislation, regulations and administrative provisions of the EEA EFTA States:

Directive 2014/90/EU of the European Parliament and of the Council on marine equipment (hereinafter referred to as 'MED') and the implementing acts adopted in accordance with Articles 35(2) and (3) of that Directive.

The Parties recognise that the 'The "Blue Guide" on the implementation of EU products rules 2016' provides useful guidelines for the implementation of in particular conformity assessment procedures falling under the MED.

- US legislation, regulations and administrative provisions:

46 USC. 3306

46 CFR Parts 159 to 165

## ANNEX II

### PRODUCT COVERAGE FOR MUTUAL RECOGNITION

General note:

The international conventions apply in their up-to-date version. For the purpose of identifying correctly the relevant standards, test reports, certificates of conformity and declarations of conformity shall identify the specific testing standard applied and its version.

#### Life saving appliances

Product item identification	Applicable international instruments for construction, performance and testing requirements <sup>1</sup>	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU.	US technical regulations and approval guidance
Position-indicating lights for life-saving appliances: (a) for survival craft and rescue boats (New item)	- IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, IV - IMO Res.MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) 8	MED/1.2a	- USCG 161.101 - Guidance for Approval of Position- indicating lights for survival craft dated 11 March 1999
Position-indicating lights for life-saving appliances: (b) for lifebuoys (New item)	- IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, IV - IMO Res.MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) 8	MED/1.2b	- USCG 161.110
Position-indicating lights for life-saving appliances: (c) for lifejackets (New item)	- IMO Res.MSC.36(63)- (1994 HSC Code) 8 - IMO Res.MSC.48(66)- (LSA Code) I, IV - IMO Res.MSC.81(70), as amended - IMO Res.MSC.97(73)- (2000 HSC Code) 8	MED/1.2c	- USCG 161.112 - Lifejacket light approval Guidance (SOLAS) 22 March 1999

<sup>1</sup> "LSA Code" refers to the International Life-Saving Appliance Code adopted on 4 June 1996 (IMO Resolution MSC.48(66)). "Recommendation on Testing" refers to the IMO recommendation on Testing of Life-Saving Appliances adopted on 6 November 1991 (IMO Resolution A.689(17)) as amended on 11 December 1998 (IMO Resolution MSC.81(70)).

Product item identification	Applicable international instruments for construction, performance and testing requirements <sup>1</sup>	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU.	US technical regulations and approval guidance
Lifebuoy self- activating smoke signals  Note: Expiration date not to exceed 48 months after month of manufacture.	- IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, II - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8	MED/1.3	- USCG 160.157 - Guidelines for Approval of “SOLAS” Pyrotechnic Signals and Line Throwing Appliances, March 2005.
Rocket parachute flares (pyrotechnics)  Note: Expiration date not to exceed 48 months after month of manufacture.	- IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, III - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8	MED/1.8	- USCG 160.136 - Guidelines for Approval of “SOLAS” Pyrotechnic Signals and Line Throwing Appliances, March 2005
Hand flares (pyrotechnics)  Note: Expiration date not to exceed 48 months after month of manufacture.	- IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, III - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8	MED/1.9	- USCG 160.121 - Guidelines for Approval of “SOLAS” Pyrotechnic Signals and Line Throwing Appliances, March 2005
Buoyant smoke signals (pyrotechnics)  Note: Expiration date not to exceed 48 months after month of manufacture.	- IMO Res. MSC.48(66)- (LSA Code) I, III - IMO Res. MSC.81(70), as amended	MED/1.10	- USCG 160.122 - Guidelines for Approval of “SOLAS” Pyrotechnic Signals and Line Throwing Appliances, March 2005
Line- throwing appliances  Note: Expiration date not to exceed 48 months after month of manufacture.	- IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, VII - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8	MED/1.11	- 46 CFR 160.040 - Guidelines for Approval of “SOLAS” Pyrotechnic Signals and Line Throwing Appliances, March 2005 - MIL- R- 45505 A2
Rigid liferafts  Note: The emergency pack is not covered by the Agreement	- IMO Res. MSC.36(63)- (1994 HSC Code) 8 - IMO Res. MSC.48(66)- (LSA Code) I, IV - IMO Res. MSC.81(70), as amended - IMO Res. MSC.97(73)- (2000 HSC Code) 8 - IMO MSC Circ.811	MED/1.13	- USCG 160.118 - Rigid liferaft – Coast Guard (CG- 5214) Review Checklist, 27 July 1998

Product item identification	Applicable international instruments for construction, performance and testing requirements <sup>1</sup>	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU.	US technical regulations and approval guidance
Automatically self-righting liferafts (rigid liferafts only/inflatable liferafts not covered)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, IV</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> <li>- IMO MSC Circ.809</li> <li>- IMO MSC Circ.811</li> <li>- IMO MSC Circ.1006</li> <li>- IMO MSC.1 Circ.1328</li> </ul>	MED/1.14	<ul style="list-style-type: none"> <li>- USCG 160.118</li> <li>- Rigid liferaft – Coast Guard (CG- 5214)Review Checklist, 27 July 1998</li> </ul>
Note: The emergency pack is not covered by the Agreement			
Canopied reversible liferafts (rigid liferafts only/inflatable liferafts not covered)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, IV</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> <li>- IMO MSC Circ.809</li> <li>- IMO MSC Circ.811</li> <li>- IMO MSC.1 Circ.1328</li> </ul>	MED/1.15	<ul style="list-style-type: none"> <li>- USCG 160.118</li> <li>- Rigid liferaft – Coast Guard (CG- 5214)Review Checklist, 27 July 1998</li> </ul>
Note: The emergency pack is not covered by the Agreement			
Float-free arrangements for liferafts (hydrostatic release units)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, IV</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> <li>- IMO MSC Circ.811</li> </ul>	MED/1.16	<ul style="list-style-type: none"> <li>- USCG 160.162</li> <li>- Interim Guidelines for Approval and Production Testing of SOLAS Hydrostatic Release Units</li> </ul>
Release mechanism for:			
(a) Lifeboats and rescue boats (launched by a fall or falls)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, IV</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> <li>- IMO MSC.1/Circ.1419</li> </ul>	MED/1.26 (a)	<ul style="list-style-type: none"> <li>- 46 CFR 160.170</li> </ul>
Limited to Davit-launched liferaft automatic release hook			
Release mechanism for :			
(b) Liferafts (launched by a fall or falls)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, VI</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> </ul>	MED/1.26 (b)	<ul style="list-style-type: none"> <li>- 46 CFR 160.170</li> </ul>
Limited to Davit-launched liferaft automatic release hook			

Product item identification	Applicable international instruments for construction, performance and testing requirements <sup>1</sup>	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU.	US technical regulations and approval guidance
Marine evacuation systems	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I, VI</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> </ul>	MED/1.27	- USCG 160.175
Embarkation Ladders (New item)	<ul style="list-style-type: none"> <li>- IMO Res.MSC.36(63)- (1994 HSC Code)</li> <li>- IMO Res.MSC.48(66)- (LSA Code) I, VI</li> <li>- IMO Res. MSC.81(70), as amended</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code)</li> <li>- IMO MSC.1/Circ.1285</li> <li>- ISO 5489:2008</li> </ul>	MED/1.29	- USCG 160.117
Retro-reflective materials (New item)	<ul style="list-style-type: none"> <li>- IMO Res. A.658(16)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 8</li> <li>- IMO Res. MSC.48(66)- (LSA Code) I</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 8</li> </ul>	MED/1.30	<ul style="list-style-type: none"> <li>- 46 CFR 164.018</li> <li>- NVIC 2- 92</li> </ul>

## Fire protection

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Primary decks covering	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.1	<ul style="list-style-type: none"> <li>- 46 CFR 164.106</li> </ul>
‘A’ & ‘B’ Class divisions fire integrity (a) ‘A’ class divisions,	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC/Circ.1120</li> <li>- IMO MSC.1/Circ.1434</li> <li>- IMO MSC.1/Circ.1435</li> </ul>	MED/3.11 (a)	<ul style="list-style-type: none"> <li>- 46 CFR 164.105</li> <li>- 46 CFR 164.107</li> </ul>
‘A’ & ‘B’ Class divisions fire integrity (b) ‘B’ class divisions.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul> <p>Note: Restricted ‘B’ Class divisions are not covered by this agreement.</p>	MED/3.11 (b)	<ul style="list-style-type: none"> <li>- 46 CFR 164.108</li> <li>- 46 CFR 164.110</li> </ul>
Non-combustible materials	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.13	<ul style="list-style-type: none"> <li>- 46 CFR 164.109</li> </ul>
Fire doors	<p>Limited to fire doors without windows or with total window area no more than 645 cm<sup>2</sup> in each door leaf.</p> <p>Approval limited to maximum door size tested.</p> <p>Doors must be used with a fire tested frame design.</p> <p>Note: Restricted ‘B’ Class doors are not covered by this agreement.</p>	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC.1/Circ.1319</li> <li>- IMO MSC.1/Circ.1511</li> </ul>	<ul style="list-style-type: none"> <li>- 46 CFR 164.136</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Fire door control systems components.	<p>Note: When the term “system components” is used in column 1 it may be that a single component, a group of components or a whole system needs to be tested to ensure that the international requirements are fulfilled.</p> <ul style="list-style-type: none"> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.17	- 46 CFR 164.146
Surface materials and floor coverings with low flame- spread characteristics (a) decorative veneers.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC Circ.1.120</li> </ul>	MED/3.18 (a)	- 46 CFR 164.112
Surface materials and floor coverings with low flame- spread characteristics (b) paint systems.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC Circ.1.120</li> </ul>	MED/3.18 (b)	- 46 CFR 164.112
Surface materials and floor coverings with low flame- spread characteristics (c) floor coverings.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC Circ.1.120</li> </ul>	MED/3.18 (c)	- 46 CFR 164.117
Surface materials and floor coverings with low flame- spread characteristics (f) combustible ducts.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC Circ.1.120</li> </ul>	MED/3.18 (f)	- 46 CFR 164.112
Draperys, curtains and other suspended textile materials and films	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC.1 Circ.1.456, as amended</li> </ul>	MED/3.19	46 CFR 164.111
Upholstered furniture	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.20	- 46 CFR 164.144

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Bedding components	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.21	- 46 CFR 164.142
Fire dampers	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.22	- 46 CFR 164.139
Penetrations through 'A' class electric cable transits.	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- MSC.1/Circ 1488</li> </ul>	MED/3.26 (a)	- 46 CFR 164.138
Penetrations through 'A' class (b) pipe, duct, trunk, etc penetrations	<ul style="list-style-type: none"> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC.1 Circ.1276</li> <li>- MSC.1/Circ 1488</li> </ul>	MED/3.26 (b)	- 46 CFR 164.138
Fire restricting materials (except furniture) for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC.1 Circ.1457</li> </ul>	MED/3.32	- 46 CFR 164.201
Fire restricting materials for furniture for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> </ul>	MED/3.33	- 46 CFR 164.201
Fire resisting divisions for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 7</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 7</li> <li>- IMO Res. MSC.307(88) (2010 FTP Code), as amended</li> <li>- IMO MSC.1 Circ.1457</li> </ul>	MED/3.34	- 46 CFR 164.207

## Navigation equipment

Notes applicable to this section:

1. Resolution A.1021(26) and Resolution MSC.302(87) shall be considered, as applicable, for all the navigation equipment - They refer to "Code on alerts and indicators, 2009", and to "Adoption of performance standards for bridge alert management" respectively.
2. IEC 61162 series refer to the following reference standards for Maritime navigation and radio-communication equipment and systems - Digital interfaces:

- IEC 61162- 1 (2016) - Part 1: Single talker and multiple listeners
- IEC 61162- 2 ed1.0 (1998- 09) - Part 2: Single talker and multiple listeners, high- speed transmission
- IEC 61162- 3 ed1.2 Consol. with am1 ed. 1.0 (2010- 11) and am2 ed. 1.0 (2014- 07) - Part 3: Serial data instrument network
- IEC 61162- 3 ed1.0 (2008- 05) - Part 3: Serial data instrument network
- IEC 61162- 3- am1 ed1.0 (2010- 06) Amendment 1 - Part 3: Serial data instrument network
- IEC 61162- 3- am2 ed1.0 (2014- 07) Amendment 2 - Part 3: Serial data instrument network
- IEC 61162- 450 ed1.0 (2011- 06) with am1 (2016)- Part 450: Multiple talkers and multiple listeners - Ethernet interconnection

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA/EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Magnetic compass Class A for ships	<ul style="list-style-type: none"> <li>- IMO Res. A.382(X)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 1069 (1973)</li> <li>- ISO 25862 (2009)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> </ul>	MED/4.1	<ul style="list-style-type: none"> <li>- USCG 165.101</li> <li>- NVIC 8-01, CHANGE 3</li> </ul>
Transmitting heading device THD (magnetic method)	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.116(73)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014-07)</li> <li>- ISO 22090- 2 (2014)</li> </ul>	MED/4.2	<ul style="list-style-type: none"> <li>- USCG 165.102</li> <li>- USCG 165.102</li> <li>- NVIC 8-01, CHANGE 3</li> <li>Note: The use of ISO 11606:2000/Cor 1:2005 is required for Acceptance for USCG Approval under the MRA</li> </ul>
Gyro compass	<ul style="list-style-type: none"> <li>- IMO Res. A.424(XI)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 8728:2014</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014-07).</li> </ul>	MED/4.3	<ul style="list-style-type: none"> <li>- USCG 165.103</li> <li>- NVIC 8-01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Echo - sounding equipment	<ul style="list-style-type: none"> <li>- IMO Res. A.224(VII)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.74(69) Annex 4</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 9875 (2000)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.6	<ul style="list-style-type: none"> <li>- USCG 165.105</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Speed and distance measuring equipment (SDME)	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. A.824(19)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.302(87)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61023 (2007)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.7	<ul style="list-style-type: none"> <li>- USCG 165.105</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Rate-of- turn- indicator	<ul style="list-style-type: none"> <li>- IMO Res. A.526(13)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series</li> <li>- ISO 20672 (2007) including Corr. 1 (2008)</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.9	<ul style="list-style-type: none"> <li>- USCG 165.106</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Loran- C equipment	Equipment removed from MRA as it has been also removed from MED		
Chayka equipment	Equipment Removed from MRA as it has been also removed from MED		
GPS equipment	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.112(73)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61108- 1 Ed.2.0 (2003)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	<ul style="list-style-type: none"> <li>MED/4.14</li> </ul>	<ul style="list-style-type: none"> <li>- USCG 165.130</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
GLONASS equipment	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.113(73)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61108- 2 (1998)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	<ul style="list-style-type: none"> <li>MED/4.15</li> </ul>	<ul style="list-style-type: none"> <li>- USCG 165.131</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Heading control system (HCS)	<ul style="list-style-type: none"> <li>- IMO Res. A.342(IX)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.64(67) Annex 3</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series,</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> <li>- ISO 11674 (2006)</li> </ul>	<ul style="list-style-type: none"> <li>MED/4.16</li> </ul>	<ul style="list-style-type: none"> <li>- USCG 165.110</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Rudder Angle Indicator (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed 2.0(2014- 07)</li> <li>- ISO 20673:2007</li> </ul>	MED/4.20	<ul style="list-style-type: none"> <li>- USCG 165.167</li> <li>- NVIC 8-01, CHANGE 3</li> </ul>
Propeller revolution indicator (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed 2.0(2014- 07)</li> <li>- ISO 22554:2015</li> </ul>	MED/4.21	<ul style="list-style-type: none"> <li>- USCG 165.168</li> <li>- NVIC 8-01, CHANGE 3</li> </ul>
Pitch Indicator (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed 2.0(2014- 07)</li> <li>- ISO 22555:2007</li> </ul>	MED/4.22	<ul style="list-style-type: none"> <li>- USCG 165.169</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Radar equipment CAT 1	<ul style="list-style-type: none"> <li>- IMO Res. A.278(VIII)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res. MSC.192(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ITU- R M. 1177- 4(04/11)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> <li>- IEC 62388 Ed. 2.0 (2013- 06)</li> </ul> <p>(Radar equipment used with ARPA must have separate EU and USA certifications)</p>	MED/4.34	<ul style="list-style-type: none"> <li>- USCG 165.115</li> <li>- NVIC 8- 01, CHANGE 3</li> <li>- 47 CFR 80</li> <li>- 47 CFR 02.100 Subpart B</li> </ul> <p>Note: USCG 165.120 has been changed to 165.115 to reflect changes required by MSC.192(79). Certificates previously issued remain valid for existing equipment.</p>
Radar equipment CAT 2	<ul style="list-style-type: none"> <li>- IMO Res. A.278(VIII)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res. MSC.192(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ITU- R M. 1177- 4(04/11)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> <li>- IEC 62388 Ed. 2.0 (2013- 06)</li> </ul> <p>(Radar equipment used with ATA must have separate EU and USA certifications)</p>	MED/4.35	<ul style="list-style-type: none"> <li>- USCG 165.116</li> <li>- NVIC 8- 01, CHANGE 3</li> <li>- 47 CFR 80</li> <li>- 47 CFR 02.100 Subpart B</li> </ul> <p>Note: USCG 165.111 has been changed to 165.116 to reflect changes required by MSC.192(79). Certificates previously issued remain valid for existing equipment.</p>
Radar equipment CAT 3	<ul style="list-style-type: none"> <li>- IMO Res. A.278(VIII)</li> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res. MSC.192(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ITU- R M. 1177- 4(04/11)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> <li>- IEC 62388 Ed. 2.0 (2013- 06)</li> </ul> <p>(Radar equipment used with EPA must have separate EU and USA certifications)</p>	MED/4.36	<ul style="list-style-type: none"> <li>- USCG 165.117</li> <li>- NVIC 8- 01, CHANGE 3</li> <li>- 47 CFR 80</li> <li>- 47 CFR 02.100 Subpart B</li> </ul> <p>Note: USCG 165.121 has been changed to 165.117 to reflect changes required by MSC.192(79). Certificates previously issued remain valid for existing equipment.</p>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA/EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Integrated bridge system	Equipment removed from MRA as it has been also removed from MED	MED/4.29	- USCG 165.150 - NVIC 8-01, CHANGE 3
Voyage data recorder (VDR)	<ul style="list-style-type: none"> <li>- IMO Res. A.694 (17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97/73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res. MSC.302(87)</li> <li>- IMO Res. MSC.333(90)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 61996-1 Ed.2.0 (2013-05) incl. IEC 61996-1 Corr.1 (2014)</li> <li>- IEC 62288 Ed.2.0 (2014-07)</li> </ul>		
Electronic chart display and information system (ECDIS) with backup, and raster chart display system (RCDS) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.232(82)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IMO MSC.1/Circ.1503. Rev.1</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 61174 Ed.4.0 (2015)</li> <li>- IEC 62288 Ed.2.0 (2014)</li> </ul> <p>[ECDIS back-up and RCDS are only applicable when this functionality is included in the ECDIS. The module B certificate shall indicate whether these options were tested]</p>	MED/4.30	- USCG 165.123 - USCG 165.124 - NVIC 8-01, CHANGE 3

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Gyro compass for high- speed craft	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. A.821(19)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 16328 (2014)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0 (2014- 07)</li> </ul>	MED/4.31	<ul style="list-style-type: none"> <li>- USCG 165.203</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Universal automatic identification system equipment (AIS)	<ul style="list-style-type: none"> <li>- IMO Res. A.694 (17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.74(69)</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- ITU- R M. 1371- 5(2014)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 61993- 2 (2012)</li> <li>- IEC 62288 Ed.2.0 (2014- 07)</li> </ul>	MED/4.32	<ul style="list-style-type: none"> <li>- USCG 165.155</li> <li>- NVIC 8- 01, CHANGE 3</li> <li>- ITU- R M. 1371- 3</li> </ul>
Track control system (working at ship's speed from minimum manoeuvring speed up to 30 knots)	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. MSC.74(69)</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62065 Ed.2.0 (2014- 02)</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.33	<ul style="list-style-type: none"> <li>- USCG 165.112</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Radar equipment for high speed craft applications (CAT 1H and CAT 2H) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.278(VIII)</li> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.192(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- MSC.1/Circ.1349</li> <li>- ITU-R M.1177-4 (04/11)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014- 07)</li> <li>- IEC 62388 Ed. 2.0 (2013- 06)</li> </ul>	MED/4.37	<ul style="list-style-type: none"> <li>- USCG 165.216</li> <li>- USCG 165.217</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Radar reflector passive type	<ul style="list-style-type: none"> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.164(78)</li> <li>- ISO 8729- 1 (2010)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> </ul>	MED/4.39	<ul style="list-style-type: none"> <li>- USCG 165.160</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Heading control system for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res. A.694(17)</li> <li>- IMO Res. A.822(19),</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- MSC.1/Circ.1349</li> <li>- ISO 16329 (2003)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr.1 (2008)</li> <li>- IEC 61162 series</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.40	<ul style="list-style-type: none"> <li>- USCG 165.210</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Transmitting heading device THD (GNSS method) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.116(73)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 22090- 3:2014</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014- 07)</li> </ul>	MED/4.41	<ul style="list-style-type: none"> <li>- USCG 165.102</li> </ul>
Searchlight for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- ISO 17884:2004</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> </ul>	MED/4.42	<ul style="list-style-type: none"> <li>- USCG 165.252</li> <li>- NVIC 8- 01, CHANGE 3</li> </ul>
Night vision equipment for high speed craft (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res. MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res. MSC.94(72)</li> <li>- IMO Res. MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res. MSC.191(79)</li> <li>- ISO 16273 (2003)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 62288 Ed. 2.0 (2014- 07)</li> </ul>	MED/4.43	<ul style="list-style-type: none"> <li>- USCG 165.251</li> <li>- NVIC 8- 01, CHANGE 3</li> <li>- ISO 60447</li> <li>- ISO / IEC 9126</li> </ul>
Transmitting heading device THD (Gyroscopic method) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.116(73)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- ISO 22090- 1:2014</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014- 07)</li> </ul>	MED/4.46	<ul style="list-style-type: none"> <li>- USCG 165.102</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA/EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Simplified voyage data recorder (S-VDR) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.163(78)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 61996-2 (2007)</li> <li>- IEC 62288 Ed.2.0 (2014-07)</li> </ul>	MED/4.47	<ul style="list-style-type: none"> <li>- USCG 165.151</li> <li>- NVIC 8-01, CHANGE 3</li> </ul>
DGPS Equipment (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.112(73)</li> <li>- IMO Res.MSC.114(73)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61108-1 (2003)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014-07)</li> </ul>	MED/4.50	<ul style="list-style-type: none"> <li>- USCG 165.132</li> <li>- NVIC 08-01 CHANGE 3</li> </ul>
DGLONASS Equipment (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code) 13</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code) 13</li> <li>- IMO Res.MSC.113(73)</li> <li>- IMO Res.MSC.114(73)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61108-2 Ed.1.0 (1998)</li> <li>- IEC 61108-4 (2004)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014-07)</li> </ul>	MED/4.51	<ul style="list-style-type: none"> <li>- USCG 165.133</li> <li>- NVIC 08-01 CHANGE 3</li> </ul>

Product item identification	Applicable international instruments for construction, performance and testing requirements	EEA EFTA States technical regulations, item number in accordance with Directive 2014/90/EU	US technical regulations and approval guidance
Daylight signalling lamp (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code)</li> <li>- IMO Res.MSC.95(72)</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- ISO 25861:2007</li> </ul>	MED/4.52	<ul style="list-style-type: none"> <li>- USCG 165.166</li> <li>- NVIC 08-01 CHANGE 3</li> </ul>
Bridge Navigational Watch Alarm System (BNWAS) (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.128(75)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- MSC.1/Circ.1474</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014- 07)</li> <li>- IEC 62616(2010) incl. IEC 62616 Corr. 1 (2012)</li> </ul>	MED/4.57	<ul style="list-style-type: none"> <li>- USCG 165.142</li> <li>- NVIC 08-01, CHANGE 3</li> </ul>
Sound reception system (New item)	<ul style="list-style-type: none"> <li>- IMO Res.A.694(17)</li> <li>- IMO Res.MSC.36(63)- (1994 HSC Code)</li> <li>- IMO Res.MSC.86(70)</li> <li>- IMO Res.MSC.97(73)- (2000 HSC Code)</li> <li>- IMO Res.MSC.191(79)</li> <li>- IMO Res.MSC.302(87)</li> <li>- IEC 60945 (2002) incl. IEC 60945 Corr. 1 (2008)</li> <li>- IEC 61162 Series</li> <li>- IEC 62288 Ed.2.0(2014- 07)</li> <li>- ISO 14859:2012</li> </ul>	MED/4.58	<ul style="list-style-type: none"> <li>- USCG 165.165</li> <li>- NVIC 8-01 CHANGE 3</li> </ul>

### **ANNEX III**

#### **REGULATORY AUTHORITIES**

##### **— EEA EFTA STATES**

Iceland	The Transport Authority Ármúla 2 108 Reykjavík Iceland email: samgongustofa@samgongustofa.is
Liechtenstein	Office of Economic Affairs P.O. Box 684 9490 Vaduz Liechtenstein email: tpmn.avw@llv.li <a href="http://www.avw.llv.li">http://www.avw.llv.li</a>
Norway	Norwegian Maritime Authority Post Office Box 2222 N-5509 Haugesund Norway Telephone: +4752745000 email: post@sdir.no

##### **— UNITED STATES OF AMERICA**

United States Coast Guard  
Office of Design and Engineering Standards (CG- ENG)  
2703 Martin Luther King Jr Ave SE  
STOP 7509  
Washington DC 20593-7509