



# U. S. Department of Homeland Security

## United States Coast Guard

### Certificate of Approval

Coast Guard Approval Number: 162.060/2/5

Expires: 16 December 2026

BALLAST WATER MANAGEMENT SYSTEM  
Filtration/Ultraviolet

Alfa Laval Tumba AB  
Hans Stahles vag 7  
SE-147 80  
Tumba SWEDEN

Name of BWMS: PureBallast 3.0 and 3.1

Capacities: 85-3,000 m3/h

This is to certify that the above listed BWMS, with the listed treatment capacities, has been satisfactorily examined and tested by Independent Lab DNV in accordance with the requirements contained in 46 CFR 162.060. The system shall be installed and operated in accordance with applicable Operation, Maintenance, and Safety Manual (OMSM) from the list below.

PureBallast 3.0: Alfa Laval OMSM No. 9028553 02, Rev. 1, Dated 2019  
PureBallast 3.0 Ex: Alfa Laval OMSM No. 9028554 02, Rev. 1, Dated 2019  
PureBallast 3.1: Alfa Laval OMSM No. 9028378 02, Rev. 1, Dated 2019  
PureBallast 3.1 Ex: Alfa Laval OMSM No. 9028493 02, Rev. 1, Dated 2019  
PureBallast 3.1 Compact: Alfa Laval OMSM No. 9028495 02, Rev. 1, Dated 2019  
PureBallast 3.1 Compact Flex: Alfa Laval OMSM No. 9033269 02, Rev. 1, Dated 2019

Installation Limitations: See Appendix

Operational Limitations: See Appendix

The BWMS must be marked in accordance with 46 CFR 162.060-22. A copy of this Type Approval Certificate shall be carried on board a vessel always fitted with the BWMS.

Vessel owners/operators are expected to consult with the manufacturer to ensure the BWMS's operational limitations and treatment flow rates are acceptable for the water frequented by their vessels.


This certificate supersedes Approval number 162.060/2/4 dated 16 December 2021; update approves alternate component sources.

\*\*\* End \*\*\*

THIS IS TO CERTIFY THAT the above named manufacturer has submitted to the undersigned satisfactory evidence that the item specified herein complies with the applicable laws and regulations as outlined on the reverse side of this Certificate, and approval is hereby given. This approval shall be in effect until the expiration date hereon unless sooner canceled or suspended by proper authority.



GIVEN UNDER MY HAND THIS 2<sup>nd</sup> DAY OF  
NOVEMBER 2023, AT WASHINGTON D.C.



Acting Chief, Engineering Division  
BY DIRECTION OF THE COMMANDANT

**TERMS:** The approval of the item described on the face of the Certificate has been based upon the submittal of satisfactory evidence that the item complies with the applicable provisions of the navigation and shipping laws and the applicable regulations in Title 33 and/or Title 46 of the Code of Federal Regulations. The approval is subject to any conditions noted on this Certificate and in the applicable laws and regulations governing the use of the item on vessels subject to Coast Guard inspection or on other vessels and boats.

Consideration will be given to an extension of this approval provided application is made 3 months prior to the expiration date of this Certificate.

The approval holder is responsible for making sure that the required inspections or tests of materials or devices covered by this approval are carried out during production as prescribed in the applicable regulations.

The approval of the item covered by this certificate is valid only so long as the item is manufactured in conformance with the details of the approved drawings, specifications, or other data referred to. No modification in the approved design, construction, or materials is to be adopted until the modification has been presented for consideration by the Commandant and confirmation received that the proposed alteration is acceptable.

**NOTICE:** Where a manufacturer of safety-at-sea equipment is offering for sale to the maritime industry, directly or indirectly, equipment represented to be approved, which fails to conform with either the design details or material specifications, or both, as approved by the Coast Guard, immediate action may be taken to invoke the various penalties and sanctions provided by law including prosecution under 46 U.S.C. 3318, which provides:

"A person that knowingly manufactures, sells, offers for sale, or possesses with intent to sell, any equipment subject to this part (*Part B. of Subtitle II of Title 46 U.S.C.*) and the equipment is so defective as to be insufficient to accomplish the purpose for which it is intended, shall be fined not more than \$10,000, imprisoned for not more than 5 years or both."

APPENDIX  
U. S. Coast Guard Approval Number: 162.060/2/5  
Expires: 16 December 2026

INSTALLATION LIMITATIONS

In addition to meeting 46 CFR 162.060, which approves the operation of this BWMS in U.S. waters, this type approval certificate also allows for the installation and operation of this BWMS on the following vessels and/or shipboard locations:

<b>BWMS Model</b>	<b>U.S. Flag Installation</b>	<b>Hazardous Location Installation (U.S. Flag)<sup>1, 3</sup></b>	<b>Hazardous Location Installation (Foreign Flag)<sup>2,3</sup></b>
PureBallast 3.0 Standard			
PureBallast 3.1 Ex			X
PureBallast 3.1 Standard			
PureBallast 3.1 Ex			X
PureBallast 3.1 Compact			
PureBallast Compact Flex			

- 1.) Models have been verified to meet the requirements of 46 CFR 111.105
- 2.) Subject to approval of the foreign administration
- 3.) The electrical supply must remain outside of hazardous locations.

Note: "X" indicates approval for installation.

OPERATIONAL LIMITATIONS

Salinity: Not Applicable

Water Temperature: Not Applicable

Hold Time: >2.5 hours

UV-Intensity: Specified in Tables by Hold Time and Treatment Rated Capacity (TRC)

<b>UV Reactor Size</b>	<b>Minimum UVI at 50% TRC and &gt;2.5 hours hold time</b>	<b>Minimum UVI at 100% TRC and &gt;2.5 hours hold time</b>
170 m <sup>3</sup> /h	750 W/m <sup>2</sup>	910 W/m <sup>2</sup>
300 m <sup>3</sup> /h	750 W/m <sup>2</sup>	910 W/m <sup>2</sup>
600 m <sup>3</sup> /h	750 W/m <sup>2</sup>	910 W/m <sup>2</sup>
1000 m <sup>3</sup> /h	1220 W/m <sup>2</sup>	1593 W/m <sup>2</sup>

<b>UV Reactor Size</b>	<b>Minimum UVI at 50% TRC and &gt;72 hours hold time</b>	<b>Minimum UVI at 100% TRC and &gt;72 hours hold time</b>
170 m <sup>3</sup> /h	530 W/m <sup>2</sup>	820 W/m <sup>2</sup>
300 m <sup>3</sup> /h	530 W/m <sup>2</sup>	820 W/m <sup>2</sup>
600 m <sup>3</sup> /h	530 W/m <sup>2</sup>	820 W/m <sup>2</sup>
1000 m <sup>3</sup> /h	772 W/m <sup>2</sup>	1383 W/m <sup>2</sup>

\*\*\* END \*\*\*

(1 of 1)