

Commander Eighth Coast Guard District Hale Boggs Bldg. 500 Poydras Street New Orleans, LA 70130-3310 Staff Symbol: (ocs) Phone: (504) 671-2105 Fax: (504) 671-2269

16711/OCS D8 OCS OCMI Policy Ltr 03-2016

JUN 2 2016

D8 OCS OCM

S. Sutton

MEMORANDUM

From: J.D. KEYNOLDS, CAPT

D8 OCS CCMI

Distribution

To:

Subj: INTERIM COAST GUARD EIGHTH DISCTRICT OUTER CONTINENTAL SHELF

(OCS) RISK-BASED INSPECTION RESOURCE ALLOCATION METHODOLOGY

Reply to

Attn of:

1. **PURPOSE**: This memorandum establishes an interim risk-based inspection resource allocation methodology for conducting inspections on in service Foreign Mobile Offshore Drilling Units (MODUs), Floating OCS Facilities (FOIs) and Fixed OCS Facilities (platforms) in the Eighth Coast Guard District. For the purpose of this instruction "in service" means the OCS unit is located at the lease block they intend to conduct production, drilling or well workover operations. This methodology considers different risk factors and assigns a risk score that determines inspection priority and scope. Inspectors have the authority to expand inspection scope should they find clear grounds to do so. When expanding an abbreviated (TIER II or III) inspection clear grounds and expanded areas must be properly documented.

- 2. **DISCUSSION:** The risk-based inspection methodology enables the OCS OCMI to allocate limited resources more effectively. Each MODU, FOI and certain platforms will be assigned a risk factor to set inspection priority and scope. The unit's inspection profile will be set by using a matrix that weighs various risk factors. A unit can be categorized into three different tiers. Tiers I, II & III represent 3 different inspection priorities and scopes ranging from a high priority, fully scoped inspection to a low priority, abbreviated inspection. Time saved from either abbreviating or deferring lower tier inspections will be redirected to increase the scope and/or frequency of higher tier inspections.
- 3. ACTION: This interim methodology will begin on August 1st until updated or superseded by a national program. The OCS scheduler will utilize three risk-based matrices for OCS units: MODUs (enclosure 1), FOIs (enclosure 2) and platforms (enclosure 3). Annually, the scheduler will identify the inspection window (within three months of a certificate and/or MTSA exam anniversary date) of every MODU, FOI and MTSA platform located in D8. Every two weeks, the scheduler will identify any OCS unit in its inspection window and any OCS unit (whether a MODU, FOI or platform) performing, or about to perform, drilling or well workover operations. The scheduler will score these OCS units using the applicable matrices and contact the unit owner/operator to proactively schedule

-

¹ For a definition of "clear grounds" applicable to this methodology see USCG Marine Safety Manual, Vol. II, Section D, Chapter 1, paragraph C,3. For this methodology, the requirements of 33 CFR Subchapter N are used in lieu of relevant conventions.

Subi: INTERIM COAST GUARD EIGHTH DISCTRICT OUTER CONTINENTAL SHELF (OCS) RISK-BASED INSPECTION RESOURCE ALLOCATION METHODOLOGY

inspections. As collected data improves or risks are reevaluated, it may be necessary to update the matrices.

- 4. DISCLAIMER: While the guidance contained in this document may assist the industry the public, the USCG, and other Federal and State regulators in applying statutory and regulatory requirements, this guidance is not a substitute for applicable legal requirements, nor is it in itself a rule. Thus, it is not intended to, nor does it, impose legally binding requirements on any party, including the USCG, other Federal agencies, the States, or the regulated community. The USCG reserves the right to modify or cancel this methodology.
- 5. **POINTS OF CONTACT**: Questions regarding this policy may be directed to Mr. Steve Sutton of the D8 OCS OCMI staff.

#

Encl: 1) Mobile Offshore Drilling Unit (MODU) Risk-based Inspection Matrix

.a.-bas .aspection. .ed Inspectic. 2) Floating OCS Facility (FOI) Risk-based Inspection Matrix

3) Fixed OCS Facility (platform) Risk-based Inspection Matrix

Dist: Sector New Orleans

MSU Morgan City

MSU Houma

Sector Houston/Galveston

MSU Port Arthur

MSU Texas City

Sector Corpus Christi Sector Mobile

D8(dp)

CG-5PC

CG-CVG

CG-MSC

Enclosure (1)

JUN 2 2016

This matrix is for and MODU that has an active rig on BSEE rightrack or is in inspection window

Step 1: Review MODU History for previous year. If any of the below are applicable go to Step 3. See the notes for upgrading or downgrading the tiers indicated based on OCMI discretion. If none of these apply go to Step 2.

Area	Inspection Type	Area	Inspection Type
COC/COI Initial	Tier 1	MODU involved in investigation as defined in 33 CFR 140.201	Tierate
Previous CoC Renew was a Tier 2 or 3 Inspection	Tier 1	MODU placed under an operational control (Code 30 or 34)	Tier 2 ¹
BSEE: Operator Under directed performance improvement plan	Tier 1	New MODU owner and/or operator since last inspection.	Tier 2
Rig: Drilling under APD; no CG inspection since previous APD/APM	Tier 1	Rig: Well Workover under APM: no CG inspection since previous APD/APM	Tier 2 ¹
	¹ May be	upgraded by OCMI	
EXPIREDISHED OF AUG	Sell (e)		

Enclosure (1)

JUN 2 2016

This matrix is for and MODU that has an active rig on BSEE rightrack or is in inspection window

Step 2: Score the MODU using the following criteria. See the notes for upgrading or downgrading a Tier based on OCMI discretion. When completed go to Step 3 on Score Sheet tab.

Area	Points	Area	Points
No deficiencies issued on last exam	0	Regulatory scheme: IMO MODU Code 2009	Solete
Coast Guard deficiencies: required correction prior to an operation but not linked to failure of SEMS, Company QA (Code 17)	1 each	Regulatory scheme: IMO MODU Code	1
BSEE PINCs/INCs: MODU issued Facility or Component Shut in	2 each ¹	Regulatory scheme: IMO MODU Code	2
BSEE Accident Investigation since last CG inspection	3 each ¹	Regulatory scheme: NVIC 4-78	3
¹ May	be upgraded	o higher TIER by OCMI	

May be upgra

Enclosure (1)

JUN=2.2016 This matrix is for and MODU that has an active rig on BSEE rigtrack or is in inspection window

Step 3: Based on the score use this chart to determine the minimum functions to be performed at each Tier.

Focus Areas	All MODU Code/CFR requirements	On site vessel documentation verification	On site mariner credential verification	On site inspection of Lifesaving systems including drills	On site inspection of firefighting systems including drills	On site Spot check of vessel's condition	On site verification of fire and abandon drills	5 areas from MODU Job Aid (Lead Inspectors Choice)	Vessel documentation may be submitted remotely	Mariner credential verification may be submitted remotely	Documentation of quarterly drills may be submitted remotely	No onsite verification of drills required	3 areas from MODU Job Aid (Lead Inspectors Choice)	On site observation of vessel's condition prior to endorsing COC	D'Setel
# Points	9 and over		55	COL	5-8 Medium Scope 7 On s		300	2 S	Ves	Mar		No o	3 ar	O	
Tiers	Tier 1				Tier 2						i	ler 3			

Enclosure (2)

This matrix is for and FOI that has an active rig on BSEE rigtrack or is in inspection window

Step 1: Review FOI History for past year. If any of the below are applicable go to Step 3. See the notes for upgrading or downgrading the tiers indicated based on OCMI discretion. If none of these apply go to Step 2.

Description of the second second second	to an action Taxas		12 20 20 20 20 20 20 20 20 20 20 20 20 20
Area	Inspection Type	Area	Inspection Type
COI Initial or Renewal	Tier 1	COI Periodic (always year 3)	Tier 2
BSEE: Operator Under directed performance improvement plan	Tier 1	FOI placed under an operational control (Code 30 or 34)	Tier 2 ¹
Rig: Drilling under APD; no CG inspection since previous APD/APM	Tier 1	New FOI owner and/or operator since last inspection.	Tier 2
FOI involved in investigation as defined in 33 CFR 140.201 since last CG inspection	Tier 1	Rig: Well Workover under APM: no CG inspection since previous APD/APM	Tier 2 ¹
	May be	e upgraded by OCMI	
defined in 33 CFR 140.201 since last CG inspection			

Enclosure (2)

This matrix is for and FOI that has an active rig on BSEE rigtrack or is in inspection window

Step 2: Score the FOI using the following criteria. See the notes for upgrading or downgrading a Tier based on OCMI discretion. When completed go to Step 3.

Area	Points	Araa	Roints
Aica	Points	Area	Koints
Classification Society: Conditions of class issued & not past due in last year	-2 (in addition to - 1 for class)	BSEE PINCs/INCs: Operator or FOI Rig issued Facility or Component Shut in	a each 1
Classification Society	-1	Coast Guard deficiencies: required correction prior to an operation but not linked to failure of SEMS, Company QA (Code 17)	1 each
SSEE Accident Investigation since last CG inspection	3 each ²	company da (code 17)	
¹ Ma	y be upgraded to	higher TIER by OCMI	
self-cancel	olo eur		
1 Ma			



This matrix is for and FOI that has an active rig on BSEE rigtrack or is in inspection window

<u>Step 3</u>: Based on the score use this chart to determine the minimum functions to be performed at each Tier.

Focus Areas	All DBA or CFR requirements	On site vessel documentation verification	On site mariner credential verification	On site inspection of Lifesaving systems including drills	On site inspection of firefighting systems including drills	On site Spot check of vessel's condition	On site verification of fire and abandon drills	Areas from FOl/Job aid (inspectors choice)	Vessel documentation may be submitted remotely	Mariner credential verification may be submitted remotely	Documentation of quarterly deills may be submitted remotely	No onsite verification of drills required	3 Areas for FOI job aid (inspectors choice)	On site observation of vessel's condition prior to endorsing COI
Type of Inspection	Fully Scoped	Medium Scope		de	O	5	>	2		Abbreviated	8			
# Points	9 and over			C	o-c							4-0		
Tiers	Tier 1	Tier 1								lier 3				

Enclosure (3)

2 2016 JUN

This matrix is for and platform that has an active rig¹ on BSEE rigtrack or MTSA Platform

Step 1: Review Platform History for previous year. If any of the below are applicable go to Step 3. See the notes for upgrading or downgrading the tiers indicated based on OCMI discretion. If none of these apply go to Step 2.

Area	Inspection Type	Area	Inspection Type
	Initial Platfor	m Exam	Tiera
Platform involved in investigation as defined in 33 CFR 140.201 since last CG inspection	Tier 1	Platform placed under an operational control (Code 30 or 34)	Tier 2 ²
BSEE: Operator Under directed performance improvement plan	Tier 1	New platform owner and/or operator since last CG inspection.	Tier 2
Rig: Drilling under APD; no CG inspection since previous APD/APM	Tier 1 ¹	Rig: Well Workover under APM: no CG inspection since previous APD/APM	Tier 2 ²
¹ When scheduling an exam	on a platform	with an active rig, inquire BSEE about joint insuperaded by OCMI	spection
When scheduling an example of August 1997	Selled. et		

Enclosure (3)

JUN 2 2016

This matrix is for and platform that has an active rig¹ on BSEE rigtrack or MTSA Platform

Step 2: Score the platform using the following criteria. See the notes for upgrading or downgrading a Tier based on OCMI discretion. When completed go to Step 3.

Area	Points	Area	Points
BSEE PINCs/INCs: Operator or Platform Rig issued Facility or Component Shut in	2 each ²	Coast Guard deficiencies: required correction prior to an operation but not linked to failure of SEMS, Company QA (Code 17)	1 each
BSEE Accident Investigation since last CG inspection	3 each ²	MTSA annual Exam: not Tier 1 or Tier 2	Tier 3

When scheduling an exam on a platform with an active riginquite BSEE about joint inspection

May be upgraded by OCMI plate the plate of the plate of

Enclosure (3)

JUN = 2 - 2016 This matrix is for and platform that has an active rig on BSEE rigtrack or MTSA Platform

Step 3: Based on the score use this chart to determine the minimum functions to be performed at each Tier.

Tier 2 5-8	Bully Scoped	
	(0) (D)	All CFR requirements, includes all Tier 2 items
	ob Aug	On site platform documentation verification
	alled Services	On site inspection of Lifesaving systems including drills
	Medium Scope	On site inspection of firefighting systems including drills
	'ge	On site Spot check of platform's condition
		Will On site verification of fire and abandon drills
		5 Areas from platform job aid (inspectors choice)
		Platform documentation may be submitted remotely
		Documentation of drills may be submitted remotely
11er 3	Abbreviated	No onsite verification of drills required
		3 Areas for Platform job aid (inspectors choice)
		On site observation of Platform's condition